

<b>Notice of Allowability</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	09/767,346	PLOUHAR ET AL.	
	<b>Examiner</b>	<b>Art Unit</b>	
	Paul B. Prebilic	3738	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the communication filed February 20, 2004.
2. ☒ The allowed claim(s) is/are 49-54.
3. ☒ The drawings filed on 23 January 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).**
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |   |  |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)  | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)            |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment                               |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material          | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance   |
|   | 9. <input type="checkbox"/> Other _____.   |

Art Unit: 3738

The following is an examiner's statement of reasons for allowance:

Upon review of the rejections of record, the Examiner came to appreciate Applicants' position. In particular, the Stone ('915), which is one of the closest prior art references, does replace create a bleeding bone bed, but replaces the removed tissue with substantially non-immunogenic articular cartilage heterograft instead of with a 4 to 200 layer submucosa tissue as claimed. On the other hand, Patel ('969) teaches 8 layer submucosa tissue constructs, but only teaches that they can be used to replace vascular tissue and connective tissue. Kurland ('458) teaches replacing articular cartilage, but replaces it with pericardial tissue instead of a 4 to 200 layer submucosa tissue construct as claimed. For these reasons, none of these references anticipate the claim language.

Furthermore, the Examiner came to the conclusion that it would not have been obvious to combine these references with each other or with any others of record because there is no clear teaching of replacing one tissue type for another. In addition, the prior art rarely makes multiplayer tissue constructs as presently claimed so one lacks motivation to make such constructs from single layer constructs.

For these reasons, the claims are considered patentable over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 3738

**Conclusion**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul Prebilic whose telephone number is (703) 308-2905. The examiner can normally be reached on Monday-Thursday from 6:30 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott, can be reached on (703) 308-2111. The fax phone number for this Technology Center is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center 3700 receptionist whose telephone number is (703) 308-0858.



Paul Prebilic  
Primary Examiner  
Art Unit 3738